

Potain






DIN 120 Gr. I					
	426 A	427 C	427 N	428 F	643 A
Tragkraft max. Ausladung	950 kg bei 30 m	1.200 kg bei 30 m	750 kg bei 36 m	1.000 kg bei 36 m	1.200 kg bei 39 m
max. Tragkraft Ausladung	2.000 kg bei 15,7 m	3.000 kg bei 14,3 m	3.000 kg bei 14,1 m	3.000 kg bei 16,8 m	6.000 kg bei 11 m
fahrbare Höhe	30 m	30 m	30 m	36 m	42,2 m





Serie 40			Serie 60		Serie 70 - 80	
645 A	646 C	743 E	764 D	765 C	875 A	982 B
1.450 kg bei 39 m	1.550 kg bei 42 m	1.800 kg bei 45 m	2.550 kg bei 45 m	2.800 kg bei 48 m	4.500 kg bei 47 m	3.900 kg bei 63,5 m
8.000 kg bei 11,8 m	8.000 kg bei 13,3 m	10.000 kg bei 13,8 m	10.000 kg bei 16,3 m	12.000 kg bei 14,9 m	15.000 kg bei 16,6 m	20.000 kg bei 17,7 m
42,2 m	42,2 m	44,3 m	56,5 m	53,5 m	55,6 m	65,5 m



Potair

EXPORT

89, Av. Pt. Roosevelt

F - 94 - CHEVILLY-LARUE

Tel. (1) 677.67.67 - Telex 27001
Agence pour la Suisse romande:

H. EICHENBERGER Constr. mécaniques

POTAIN GmbH

D-6 FRANKFURT

Karl-Benz - Str. 5

Tel. 41.40.33/34/35 - Telex 41713

Tel. 41.40.33/34/35 - Telex 41713

POTAIN GmbH D-6 FRANKFURT Karl-Benz - Str. 5 Tel. 41.40.33/34/35 - Telex 417136



Generalvertretung für die Schweiz:

Hächler AG

Baumaschinenfabrik 5115 Möriken-Wildegg

Telefon 064 53 19 91

publistratège imprimé en France - réf.: 6 71 1383